

Battery tray specification form

2016-11-18

Please answer the following questions and return this form to Termaco via this email address:
TMOorders@termaco.com

Are you familiar with Termaco Battery Tray Types: E (TTE), EE (TTK), EX (TTX):

Yes No


Please confirm the desired type of Tray:

TTE (STD) TTK (Spark Proof) TTX

Cell type to be used on the battery pack:

Amp: _____ Plate Quantity: _____ Number of Cells: _____

If using non-standard Cell or European Cell types, please provide the dimensions and indicate the model and manufacturer of the battery intended to be used on this rack:



- Battery/Cell Manufacturer: _____

- Model of Battery/Cell: _____

- Quantity of Batteries/Cells per tray: _____

- Battery/Cell Dims (Length, Depth, Height, Jar): Y (Length): _____

X (Width): _____ H (Overall Height): _____ h (Jar Height): _____

Tray overall Dimensions: Length: _____ Depth: _____ Height: _____

171, Tuckerton Road
Reading, PA
19605 United States

325, boul. Industriel
Saint-Jean-sur-Richelieu (Qc)
J3B 7M3 Canada

T 450 346.6871
F 450 346.4368
TOLL FREE
1 800 363.1964

- Steel Dummy / Fillers (*) Yes No
(if yes, please confirm the quantity and type)

Quantity: _____ Welded: _____ Loose: _____

(*) Location determined by Termaco

- Cover Support Yes No


- Cable Opening Locations (TTK or TTX ONLY):

- On ends
 - Hole centre distance from top: _____
 - Hole C/C distance (horizontally): _____
 - Offset value ("0" if Centered): _____

- On sides
 - Hole centre distance from top: _____
 - Hole C/C distance (horizontally): _____
 - Offset value ("0" if Centered): _____

On cover (refer to corner ID's below)

- Cover Hole config (A, B, C or D): _____
- Hole centre distance from edges: _____
- Hole C/C distance: _____
- Offset value ("0" if Centered): _____



- Standard Tray Colors (Select your desired color):

Black (Heavy Shock Resistant) - (PEI-180)

Black (Extra Acid Resistant) - (PEI-241)

Yellow (Extra Acid Resistant) - (PEI-242)

Arctic White (PEI-006)

Grey (PEI-018)

Raymond Red (PEI-057)

Custom colors available in options (please specify): _____

Minimum order and extra costs may be applicable.

*Standard cut-outs apply to all TTE trays ONLY with cover(s)

**Standard stamping on left end

*** TTK trays come with red rubber (under the cover(s)), plywood option available

**** TTX construction includes plywood (under the cover(s)), trays are not certified, shall be certified by customer if required.



171, Tuckerton Road
Reading, PA
19605 United States

325, boul. Industriel
Saint-Jean-sur-Richelieu (Qc)
J3B 7M3 Canada

T 450 346.6871

F 450 346.4368

TOLL FREE
1 800 363.1964