


Battery Tray (TTX)

Motive Power



FEATURES:

- Complies with Type E, EE, EX, electric trucks safeguard housing (UL583).
- Customized to Customer preference.
- Original Equipment Manufacturer (OEM) sizing.
- Possibility of custom colours to match your electric trucks.
- Possibility of multiple options.
- Configured and adapted to the battery manufacturer of your choice.
- Tray designed and manufactured on site, offering high quality products and fast delivery time.
- Delivery time as low as 2 to 3 weeks (for standard trays).
- Acid resistant paint finish.
- Customized tray material (steel, stainless, aluminium, etc.).
- Standard holeguard/louvre.




CERTIFICATIONS:

- Complies with Type E, EE, EX, electric trucks safeguard housing (UL583 compliant). Possible certification upon request (fees applicable.)




ASSETS:

- Customized tray to OEM sizing, could ensure product to meet with special requests.
- Powder paint offers durable resistance against acid corrosion and rust. Paint available in polyester or epoxy, for interior/exterior usage.



OPTIONS:

- Retractable lug, custom reinforced lug.
- Cover type: dome, butterfly, accordion.
- Weight control.
- Steel Dummy/fillers (welded or loose).
- Gland compartment.
- Customized compartment for easy installation.
- Locking device.
- Handles (standard, light weight, heavy duty).



171, Tuckerton Road
Reading, PA
19605 United States

325, boul. Industriel
Saint-Jean-sur-Richelieu (Qc)
J3B 7M3 Canada

T 450 346.6871
F 450 346.4368
TOOL FREE
1 800 363.1964

HOW TO ORDER

Battery Tray (TTX)

Reserve Power

Specify the product and options required with the relevant product code on the basis of the following guidelines

TTX - LLL - WWW - HHH - NN - AMP - PL - C - CL - X

TTX-LLL-WWW-HHH-NN-AMP-PL-C-CL-X (Represents the type of design you choose):

- TTX-TYPE EX, construction explosion proof, includes cover with plywood. (*)

***Not certified, shall be certified by customer**

TTX-LLL-WWW-HHH-NN-AMP-PL-C-CL-X:

- Tray overall dimensions.
- Refer to Table 1.

TTX-LLL-WWW-HHH-NN-AMP-PL-C-CL-X:

- The number of cell required in the tray.

TTX-LLL-WWW-HHH-NN-AMP-PL-C-CL-X:

- Indicate your desired amperage (determine the Interior height of the tray).

TTX-LLL-WWW-HHH-NN-AMP-PL-C-CL-X:

- Number of plates per cell (determine the size of your cell).
- Refer to Table 2.

TTX-LLL-WWW-HHH-NN-AMP-PL-C-CL-X:

- Select your cover/type requirements.
- Refer to Table 3.

TTX-LLL-WWW-HHH-NN-AMP-PL-C-CL-X

Select your desired color. Our standard colors are:

- BLACK: Code BK.
- YELLOW: Code YL.
- WHITE: Code WT.
- GREY: Code GY.

We offer custom colors as an option (Contact TERMACO for more details).

TTX-LLL-WWW-HHH-NN-AMP-PL-C-CL-X:

- Determines your requested options.

OPTIONS (CONTACT TERMACO FOR THE FOLLOWING OPTIONS):

- Optional retractable lug, custom reinforcement.
- Steel Dummy/Fillers (welded or Loose).
- Gland compartment.
- Handles: standard, light weight, heavy duty.
- Locking device.
- Weight Control upon request.

TABLES AND CODES

Required information upon orders:

Overall dimensions given as followed:

382 - 24B - 23E

OVERALL LENGTH LLL*	OVERALL WIDTH WWW*	OVERALL HEIGHT HHH*
38 1/4	24 1/16	23 3/16

*Included material thickness

TABLE 1 - CODES FOR OVERALL DIMENSIONS

Replace dimension with the code below:

CODE	O	A	B	C	1	D	E	F	2
DIM.	0	1/32	1/16	3/32	1/8	5/32	3/16	7/32	1/4

G	H	I	3	J	K	L	4
9/32	5/16	11/32	3/8	13/32	7/16	15/32	1/2

M	N	O	5	P	Q	R	6
17/32	9/16	19/32	5/8	21/32	11/16	23/32	3/4

S	T	U	7	V	W	X	0
25/32	13/16	27/32	7/8	29/32	15/16	31/32	0



171, Tuckerton Road
Reading, PA
19605 United States

325, boul. Industriel
Saint-Jean-sur-Richelieu (Qc)
J3B 7M3 Canada

T 450 346.6871

F 450 346.4368

TOOL FREE

1 800 363.1964

TABLE 2 - STANDARD DIMENSIONS FOR AMERICAN CELL

Standard cell dimensions*:

NUMBER OF PLATE PER CELL	LENGTH	WIDTH
5	6.188	2.000
7	6.188	2.750
9	6.188	3.500
11	6.188	4.250
13	6.188	5.000
15	6.250	5.750
17	6.250	6.500
19	6.250	7.250
21	6.250	8.000
23	6.250	8.750
25	6.250	9.500
27	6.250	10.250
29	6.250	11.000
31	6.250	11.750
33	6.250	12.500

*if using non-standard cell/european cell
please provide the dimensions upon placing orders

TABLE 3

Cover options codes:

N	No cover
A	Accordion
B	Butterfly
D	Dome